



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

92

ENERGY STAR[®]
Score¹

Adelphia Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 78,000
Built: 2004

For Year Ending: November 30, 2022
Date Generated: January 12, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Adelphia Elementary School
495 Adelphia Road
Freehold, New Jersey 07728

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10317582

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

39.8 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 2,411,100 (78%)
Electric - Grid (kBtu) 690,589 (22%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 72.6
National Median Source EUI (kBtu/ft²) 104.5
% Diff from National Median Source EUI -45%

Source EUI

57.2 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 188

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

94

ENERGY STAR[®]
Score¹

Aldrich Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 70,400
Built: 1968

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Aldrich Elementary School
615 Aldrich Road
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10318850

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

44.7 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 2,916,100 (93%)
Electric - Grid (kBtu) 229,010 (7%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 88.4
National Median Source EUI (kBtu/ft²) 104.1
% Diff from National Median Source EUI -50%

Source EUI

52.6 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 175

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



Professional Engineer or Registered Architect Stamp (if applicable)



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

92

ENERGY STAR[®]
Score¹

Ardena Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 68,600
Built: 1938

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Ardena Elementary School
355 Adelpia Road
Farmingdale, New Jersey 07727

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10319169

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

41.6 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 2,305,300 (81%)
Electric - Grid (kBtu) 545,101 (19%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 77.3
National Median Source EUI (kBtu/ft²) 107
% Diff from National Median Source EUI -46%

Source EUI

57.5 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 170

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

66

ENERGY STAR[®]
Score¹

Greenville Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 78,000
Built: 2003

For Year Ending: October 31, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Greenville Elementary School
210 Ramtown-Greenville Road
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rrizzo@howell.k12.nj.us

Property ID: 10319819

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

42 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 1,840,700 (56%)
Electric - Grid (kBtu) 1,437,912 (44%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 50.1
National Median Source EUI (kBtu/ft²) 91
% Diff from National Median Source EUI -16%

Source EUI

76.4 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 223

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

100

ENERGY STAR[®]
Score¹

Griebing Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 89,187
Built: 1960

For Year Ending: December 31, 2019
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Griebing Elementary School
130 Havens Bridge Road
Farmingdale, New Jersey 07727

Property Owner

,
(____)____-_____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10324855

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

12.9 kBtu/ft²

Annual Energy by Fuel

Electric - Grid (kBtu) 865,556 (75%)
Natural Gas (kBtu) 288,900 (25%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 45.4
National Median Source EUI (kBtu/ft²) 107.2
% Diff from National Median Source EUI -72%

Source EUI

30.6 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 96

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-_____



Professional Engineer or Registered Architect Stamp (if applicable)



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

78

ENERGY STAR[®]
Score¹

Memorial Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 120,000
Built: 2004

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Memorial Elementary School
485 Adelpia Road
Freehold, New Jersey 07728

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10361720

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

48.6 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 4,056,200 (70%)
Electric - Grid (kBtu) 1,772,667 (30%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 67.8
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -28%

Source EUI

76.9 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 370

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

96

ENERGY STAR[®]
Score¹

Newbury Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 79,850
Built: 1964

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Newbury Elementary School
179 Newbury Road
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10361722

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

43.6 kBtu/ft²

Annual Energy by Fuel

Electric - Grid (kBtu) 199,506 (6%)
Natural Gas (kBtu) 3,280,900 (94%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 93.3
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -53%

Source EUI

50.1 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 192

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

95

ENERGY STAR[®]
Score¹

Land O'Pines Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 92,983
Built: 1960

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Land O'Pines Elementary School
83 Windeler Road
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rrizzo@howell.k12.nj.us

Property ID: 10361807

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

46.1 kBtu/ft²

Annual Energy by Fuel

Electric - Grid (kBtu) 216,205 (5%)
Natural Gas (kBtu) 4,068,600 (95%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 94.3
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -51%

Source EUI

52.5 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 235

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

74

ENERGY STAR[®]
Score¹

Ramtown Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 99,899
Built: 1964

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Ramtown Elementary School
216 Ramtown-Greenville Road
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10361837

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

60.8 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 5,029,200 (83%)
Electric - Grid (kBtu) 1,044,754 (17%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 79.4
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -24%

Source EUI

82.1 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 358

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

98

ENERGY STAR[®]
Score¹

Taunton Elementary School

Primary Property Type: K-12 School
Gross Floor Area (ft²): 89,187
Built: 1968

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Taunton Elementary School
41 Taunton Drive
Howell, New Jersey 07731

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10361852

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

38 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 3,155,800 (93%)
Electric - Grid (kBtu) 232,732 (7%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 91.7
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -59%

Source EUI

44.5 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 188

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

70

ENERGY STAR[®]
Score¹

Middle School North

Primary Property Type: K-12 School
Gross Floor Area (ft²): 161,000
Built: 1994

For Year Ending: November 30, 2022
Date Generated: January 17, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Middle School North
501 Squankum Yellowbrook Road
Farmingdale, New Jersey 07727

Property Owner

,
(____)____-____

Primary Contact

Rachel Rizzo
4567 Route 9 North
Suite D
Howell, NJ 07731
7327512480
rizzo@howell.k12.nj.us

Property ID: 10361871

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

40.2 kBtu/ft²

Annual Energy by Fuel

Electric - Grid (kBtu) 4,059,035 (63%)
Natural Gas (kBtu) 2,414,500 (37%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 50
National Median Source EUI (kBtu/ft²) 107.3
% Diff from National Median Source EUI -20%

Source EUI

86.3 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO₂e/year) 482

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____




**Professional Engineer or Registered
Architect Stamp
(if applicable)**

ENERGY STAR[®] Energy Performance Scorecard

18
out of 100

Middle School South

For Year Ending	November 30, 2022
Property Address	220 Ramtown Greenville Road Howell, New Jersey 07731
Primary Function	K-12 School
Gross Floor Area (ft ²)	162,000
Year built	2000
Energy Use per sq. ft.*	88.1 kBtu



What is the ENERGY STAR Score?

The ENERGY STAR score rates commercial building's energy performance relative to similar buildings nationwide. Expressed as a number on a simple 1-100 scale, the score rates performance on a percentile basis: a building with a score of 50 performs better than 50% of its peers. Higher scores mean better energy efficiency, resulting in less energy use and fewer greenhouse gas emissions. If a 1-100 score for a specific building type has not been developed, Site Energy Use Intensity (EUI) will be displayed on this scorecard.

Learn more at:

energystar.gov/scorecard

*Site energy use